









-2011		edicine		ign In] [Regi:		
All Databases P	ubMed Nucleotide Protein Genome Structure	OMM F	PMC Jou	ensis Bor		
Search PubMed	for Yanagawa H AND RNA		30 Clear	Save Sea		
	\$*************************************	etails		**		
About Entrez	Display Summary Show 20 Sort by	. Sei	nd to 💌]		
Fext Version	All: 26 Review: 5	100000000000000000000000000000000000000	1			
Entrez PubMed	Items 1 - 20 of 26	Page	1	of 2 Next		
Overview Heip FAQ	1: Miyamoto-Sato E, Yanagawa H.			ticles, Links		
Futorial New/Noteworthy E-Utilities	[Analysis of genome network toward understand using in vitro virus] Tanpakushitsu Kakusan Koso. 2004 Dec;49(17 Suppl):27 abstract available.	_	_			
PubMed Services lournals Database	PMID: 15669253 [PubMed - indexed for MEDLINE]					
MeSH Database Single Citation Matcher	2: Horisawa K. Tateyama S. Ishizaka M. Matsumura N. Tak H. Miyamoto-Sato E. Doi N. Yanagawa H	<u>cashima</u>	Related Ari	iicles, Links		
Batch Citation Matcher Clinical Queries JinkOut Jy NCBI (Cubby)	In vitro selection of Jun-associated proteins using mRNA display. Nucleic Acids Res. 2004 Dec 2;32(21):e169. PMID: 15576676 [PubMed - indexed for MEDLINE]					
Pelated Resources	3: Ohtani N, Yanagawa H, Tomita M, Itaya M.		Related Art	icles, Links		
Related Resources Order Documents ILM Catalog ILM Gateway OXNET Consumer Health	Cleavage of double-stranded RNA by RNase HI archaeon, Sulfolobus tokodaii 7. Nucleic Acids Res. 2004 Nov 1;32(19):5809-19. Print 200 PMID: 15520465 [PubMed - indexed for MEDLINE]		hermoaci	dophilic		
Clinical Alerts ClinicalTrials.gov PubMed Central	4: Ge N, Nishioka Y, Nakamura Y, Okano Y, Yoneda K, Og Sugita A, Yanagawa H, Sone S.	gawa H.	Related Art	icles, Links		
amvisa Cettität	Synthesis and secretion of interleukin-15 by freshronchial epithelial cells. Int Arch Allergy Immunol. 2004 Nov;135(3):235-42. Epu PMID: 15467375 [PubMed - indexed for MEDLINE]			n		
	5: Onouchi Y, Onouc S, Tamari M, Wakui K, Fukushima Y, M, Nakamura Y, Yanagawa H, Kishi F, Ouchi K, Terai M Hamamoto K, Kudo F, Aotsuka H, Sato Y, Nariai A, Kab Miura M, Saji T, Kawasaki T, Nakamura Y, Hata A.	1 .	Related Art	icles, Links		
	CD40 ligand gene and Kawasaki disease. Eur J Hum Genet. 2004 Dec;12(12):1062-8. PMID: 15367912 [PubMed - indexed for MEDLINE]					
	6: Ohtani N, Yanagawa H, Tomita M, Itaya M.	ļ	Related Arti	cles, Links		
	Identification of the first archaeal Type 1 RNase Halobacterium sp. NRC-1: archaeal RNase HI ca	H gene i an cleave	from an RNA	-DNA		

Biochem J. 2004 Aug 1;381(Pt 3):795-802. PMID: 15115438 [PubMed - indexed for MEDLINE]

7: Yonezawa M, Doi N, Kawahashi Y, Higashinakagawa T.

Related Articles, Links

junction.

Yanagawa H.



DNA display for in vitro selection of diverse peptide libraries.

Nucleic Acids Res. 2003 Oct 1;31(19):e118.

PMID: 14500846 [PubMed - indexed for MEDLINE]

8: Yoneda K, Rokutan K, Nakamura Y, Yanagawa H, Kondo-Teshima S, Sone S.

Related Articles, Links



Stimulation of human bronchial epithelial cells by IgE-dependent histamine-releasing factor.

Am J Physiol Lung Cell Mol Physiol. 2004 Jan;286(1):L174-81. Epub 2003 Aug 29. PMID: 12948934 [PubMed - indexed for MEDLINE]

9: Miyamoto Sato E, Yanagawa H.

Related Articles, Links



[Application of in vitro virus and C-terminal protein labeling to the post-genome research]

Tanpakushitsu Kakusan Koso. 2003 Aug;48(11 Suppl):1474-80. Review. Japanese. No abstract available.

PMID: 12931602 [PubMed - indexed for MEDLINE]

10: Miyamoto-Sato E, Takashima H, Fuse S, Süe K, Ishizaka M, Tateyama S, Horisawa K, Sawasaki T, Endo Y, Yanagawa H.

Related Articles, Links



Highly stable and efficient mRNA templates for mRNA-protein fusions and C-terminally labeled proteins.

Nucleic Acids Res. 2003 Aug 1;31(15):e78.

PMID: 12888530 [PubMed - indexed for MEDLINE]

11: Ogawa H. Nishimura N. Nishioka Y. Azuma M. Yanagawa H. Related Articles, Links Sone S.



Adenoviral interleukin-12 gene transduction into human bronchial epithelial cells: up-regulation of pro-inflammatory cytokines and its prevention by corticosteroids.

Clin Exp Allergy. 2003 Jul;33(7):921-9.

PMID: 12859448 [PubMed - indexed for MEDLINE]

12: Mitani K. Nishioka Y. Yamabe K. Ogawa H. Miki T. Yanagawa Related Articles, Links H. Sone S.



Soluble Fas in malignant pleural effusion and its expression in lung cancer cells.

Cancer Sci. 2003 Mar; 94(3):302-7.

PMID: 12824926 [PubMed - indexed for MEDLINE]

13: Ogawa H, Nishimura N, Nishioka Y, Azuma M, Yanagawa H, Sone S. Related Articles, Links



Interleukin (IL)-12 gene transduction and its functional expression into human bronchial epithelial cells (BEAS-2B) by adenovirus vector. J Med Invest. 2002 Feb;49(1-2):74-82.

PMID: 11901765 [PubMed - indexed for MEDLINE]

14: Ishizaka M. Ohshima Y. Yanagawa H.

Related Articles, Links



Protein anatomy: structure and function of peptide fragments corresponding to the secondary structure units of barnase. J Biochem (Tokyo). 2001 Jun;129(6):971-7.

PMID: 11388914 [PubMed - indexed for MEDLINE]

15: Nemoto N. Miyamoto-Sato E, Husimi Y, Yanagawa H.

Related Articles, Links

In vitro virus: bonding of mRNA bearing puromycin at the 3'-terminal


	end to the C-terminal end of its encoded protein on the FEBS Lett. 1997 Sep 8;414(2):405-8. PMID: 9315729 [PubMed - indexed for MEDLINE]	ribosome in vitro.
16:	Yanagawa H.	Related Articles, Links
	[Origins of life and RNA world] Tanpakushitsu Kakusan Koso. 1994 Nov;39(15):2465-79. Review available. PMID: 7531860 [PubMed - indexed for MEDLINE]	v. Japanese. No abstrac
□ 17:	Nishio H. Takeshima Y. Narita N. Yanagawa H. Suzuki Y. Ishikawa Y. Ishikawa Y. Minami R. Nakamura H. Matsuo M.	Related Articles, Links
	Identification of a novel first exon in the human dystronew promoter located more than 500 kb upstream of the promoter. J Clin Invest. 1994 Sep;94(3):1037-42. PMID: 8083345 [PubMed - indexed for MEDLINE]	phin gene and of a e nearest known
□ 18:	Yanagawa H, Yoshida K, Torigoe C, Park JS, Sato K, Shirai T, Go M.	Related Articles, Links
	Protein anatomy: functional roles of barnase module. J Biol Chem. 1993 Mar 15;268(8):5861-5. PMID: 7680649 [PubMed - indexed for MEDLINE]	
□ 19:	Yanagawa H, Ogawa Y, Ueno M.	Related Articles, Links
	Redox ribonucleosides. Isolation and characterization of hydroxyuridine, 8-hydroxyguanosine, and 8-hydroxyad Torula yeast RNA. J Biol Chem. 1992 Jul 5;267(19):13320-6. PMID: 1618833 [PubMed - indexed for MEDLINE]	
20:	Yanagawa H, Ogawa Y, Ueno M.	Related Articles, Links
	Novel minimum ribozymes with oxidoreduction activit hydroxyuridine, 8-hydroxyguanosine, and 8-hydroxyad from Torula yeast RNA. Nucleic Acids Symp Ser. 1991;(25):113-4. PMID: 1842045 [PubMed - indexed for MEDLINE]	
]	Items 1 - 20 of 26 Page	1 of 2 Next
Dianlar	Summary Sort by Sort by	ad to

Write to the Help Desk

NCBI | NLM | NiH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer



Write to the Help Desk









Related Articles, Links

of Medicine Nim Ail Databases be:Mau Nucleotide Protein Genome Structure OMIM PMC Journals Bor Search PubMed for Nemoto N AND RNA Go Clear Save Sea Limits Preview/Index History Clipboard Details Display | Summary **★** Show 20 Sort by Send to About Entrez ø All: 43 Review: 0 Text Version Items 1 - 20 of 43 Page of 3 Next Entrez PubMed

Entrez PubMed
Overview
Heip | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
My NCBI (Cubby)

Related Resources
Order Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

1: Komatsu K, Nakanishi Y, Nemoto N, Hori T, Sawada T, Kobayashi M.

Expression and quantitative analysis of matrix metalloproteinase-2 and -9 in human gliomas.

Brain Tumor Pathol. 2004;21(3):105-12.

PMID: 15696970 [PubMed - indexed for MEDLINE]

2: Ohta Y, Hayakawa S, Karasaki-Suzuki M, Sugita K, Komine S, Chishima F, Hatta Y, Horie T, Seo N, Sheikh A, Nemoto N, Yamamoto T.

Granulocyte colony-stimulating factor suppresses autologous tumor killing activity of the peripheral blood lymphocytes in the patients with ovarian carcinoma.

Am J Reprod Immunol. 2004 Jul;52(1):81-7. PMID: 15214947 [PubMed - indexed for MEDLINE]

1 3: Sano M, Kikuchi K, Zhao C, Kobayashi M, Nakanishi Y, Nemoto Related Articles, Links

Osteoclastogenesis in human breast carcinoma.

Virchows Arch. 2004 May;444(5):470-2. Epub 2004 Mar 11. No abstract available. PMID: 15014987 [PubMed - indexed for MEDLINE]

4: Ito R. Asami S. Kagawa S. Motohashi S. Shichino H. Chin M. Related Articles, Links Yoshida Y. Nemoto N. Mugishima H. Suzuki T.

Usefulness of tyrosine hydroxylase mRNA for diagnosis and detection of minimal residual disease in neuroblastoma.

Biol Pharm Bull. 2004 Mar;27(3):315-8. PMID: 14993794 [PubMed - indexed for MEDLINE]

5: Sakuma T, Kitajima K, Nishiyama M, Endo Y, Miyauchi K, Jarukamjorn K, Nemoto N

Collaborated regulation of female-specific murine Cyp3a41 gene expression by growth and glucocorticoid hormones.
Biochem Biophys Res Commun. 2004 Feb 6;314(2):495-500.

PMID: 14733933 [PubMed - indexed for MEDLINE]

6: Kitamura K, Kinoshita Y, Narasaki S, Nemoto N, Husimi Y, Nishigaki K. Related Articles, Links

Construction of block-shuffled libraries of DNA for evolutionary protein engineering: Y-ligation-based block shuffling. Protein Eng. 2002 Oct;15(10):843-53.

PMID: 12468719 [PubMed - indexed for MEDLINE]

□ 7:	Chishima F, Hayakawa S, Sugita K, Kinukawa N, Aleemuzzaman S, Nemoto N, Yamamoto T, Honda M.	Related Articles, Links			
	Increased expression of cyclooxygenase-2 in local lesions of endometriosis				
	patients.				
	Am J Reprod Immunol. 2002 Jul;48(1):50-6. PMID: 12322896 [PubMed - indexed for MEDLINE]				
□ 8:	Komurasaki T, Toyoda H, Uchida D, Nemoto N.	Related Articles, Links			
	Mechanism of growth promoting activity of epiregulin i	n primary cultures			
الخشا	of rat hepatocytes. Growth Factors. 2002 Jun;20(2):61-9. PMID: 12148564 [PubMed - indexed for MEDLINE]				
□9:	Sakuma T, Endo Y, Mashino M, Kuroiwa M, Ohara A, Jarukamjorn K, Nemoto N.	Related Articles, Links			
	Regulation of the expression of two female-predominan	t CYP3A mRNAs			
	(CYP3A41 and CYP3A44) in mouse liver by sex and gr	owth hormones.			
	Arch Biochem Biophys. 2002 Aug 15;404(2):234-42. PMID: 12147261 [PubMed - indexed for MEDLINE]				
2000	•				
łi 10	: Jarukamjorn K, Sakuma T, Nemoto N.	Related Articles, Links			
	Sexual dimorphic expression of mouse hepatic CYP2B	: alterations during			
V EX.E.	development or after hypophysectomy. Biochem Pharmacol. 2002 Jun 1,63(11):2037-41.				
	PMID: 12093481 [PubMed - indexed for MEDLINE]				
11	Fujita M. Ogawa S, Fukuoka H, Tsukui T, Nemoto N, Tsutsumi	Related Articles, Links			
, <u>4 4</u>	O. Ouchi Y, Inoue S.	Related Attoles, Links			
	Differential expression of secreted frizzled-related prot	ein 4 in decidual			
1888	cells during pregnancy. J Mol Endocrinol. 2002 Jun;28(3):213-23.				
	PMID: 12063187 [PubMed - indexed for MEDLINE]				
T 12	Miyahara T, Simoura T, Osahune N, Uchida Y, Sakuma T,	Related Articles, Links			
3: 1 <i>2</i>	Nemoto N, Kozakai A, Takamura T, Yamazaki R, Higuchi S,	Nelated Aidules, LINKS			
	Chiba H, Iba K, Sawada N				
	A highly potent 26,27-Hexafluoro-1a,25-dihydroxyvita	min D3 on			
4	calcification in SV40-transformed human fetal osteobla				
	Calcif Tissue Int. 2002 Jun 70(6):488-95 Epub 2002 May 20	istic cens.			
	Calcif Tissue Int. 2002 Jun;70(6):488-95. Epub 2002 May 20. PMID: 12016462 [PubMed - indexed for MEDLINE]	istic cells.			
T 13	PMID: 12016462 [PubMed - indexed for MEDLINE]				
T 13	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T.	Related Articles, Links			
	PMID: 12016462 [PubMed - indexed for MEDLINE] <u>Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T.</u> Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7)	Related Articles, Links			
□ 13	PMID: 12016462 [PubMed - indexed for MEDLINE] <u>Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T.</u> Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs,	Related Articles, Links			
	PMID: 12016462 [PubMed - indexed for MEDLINE] <u>Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T.</u> Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7)	Related Articles, Links			
	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T. Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs, Extremophiles. 2002 Feb;6(1):39-44. PMID: 11878560 [PubMed - indexed for MEDLINE]	Related Articles, Links a new member of Japan.			
	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs, Extremophiles. 2002 Feb;6(1):39-44. PMID: 11878560 [PubMed - indexed for MEDLINE] Tabuchi I, Soramoto S, Nemoto N, Husimi Y.	Related Articles, Links			
	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T. Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs, Extremophiles. 2002 Feb;6(1):39-44. PMID: 11878560 [PubMed - indexed for MEDLINE]	Related Articles, Links a new member of Japan.			
	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T. Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs, Extremophiles. 2002 Feb;6(1):39-44. PMID: 11878560 [PubMed - indexed for MEDLINE] Tabuchi I, Soramoto S, Nemoto N, Husimi Y. An in vitro DNA virus for in vitro protein evolution.	Related Articles, Links a new member of Japan.			
☐ 14: ☐	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T. Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs, Extremophiles. 2002 Feb;6(1):39-44. PMID: 11878560 [PubMed - indexed for MEDLINE] Tabuchi I, Soramoto S, Nemoto N, Husimi Y. An in vitro DNA virus for in vitro protein evolution. FEBS Lett. 2001 Nov 23;508(3):309-12.	Related Articles, Links a new member of Japan.			
☐ 14: ☐	PMID: 12016462 [PubMed - indexed for MEDLINE] Suzuki T, Iwasaki T, Uzawa T, Hara K, Nemoto N, Kon T, Ueki T, Yamagishi A, Oshima T. Sulfolobus tokodaii sp. nov. (f. Sulfolobus sp. strain 7), the genus Sulfolobus isolated from Beppu Hot Springs, Extremophiles. 2002 Feb;6(1):39-44. PMID: 11878560 [PubMed - indexed for MEDLINE] Tabuchi I, Soramoto S. Nemoto N, Husimi Y. An in vitro DNA virus for in vitro protein evolution. FEBS Lett. 2001 Nov 23;508(3):309-12. PMID: 11728441 [PubMed - indexed for MEDLINE]	Related Articles, Links a new member of Japan. Related Articles, Links Related Articles, Links			

streptozotocin-induced diabetic mouse and rat. Xenobiotica. 2001 Apr;31(4):223-37. PMID: 11465407 [PubMed - indexed for MEDLINE] 16: Jarukamjorn K, Sakuma T, Yamamoto M, Ohara A, Nemoto N. Related Articles, Links Sex-associated expression of mouse hepatic and renal CYP2B enzymes by glucocorticoid hormones. Biochem Pharmacol. 2001 Jul 15;62(2):161-9. PMID: 11389874 [PubMed - indexed for MEDLINE] 17: Miyahara T, Tonoyama H, Watanabe M, Okajima A, Miyajima Related Articles, Links S. Sakuma T. Nemoto N. Takayama K. Stimulative effect of cadmium on prostaglandin E2 production in primary mouse osteoblastic cells. Calcif Tissue Int. 2001 Mar;68(3):185-91. PMID: 11351503 [PubMed - indexed for MEDLINE] 18: Jarukamjorn K, Sakuma T, Nemoto N. Related Articles, Links Discriminating activation of CYP2B9 expression in male C57BL/6 mouse liver by beta-estradiol. Biochem Biophys Res Commun. 2000 Dec 9:279(1):288-92. PMID: 11112454 [PubMed - indexed for MEDLINE] 19: Sakuma T, Takai M, Endo Y, Kuroiwa M, Ohara A, Jarukamjorn Related Articles, Links K, Honma R, Nemoto N. A novel female-specific member of the CYP3A gene subfamily in the mouse liver. Arch Biochem Biophys. 2000 May 1;377(1):153-62. PMID: 10775455 [PubMed - indexed for MEDLINE] 20: Jarukamjorn K, Sakuma T, Miyaura J, Nemoto N. Related Articles, Links Different regulation of the expression of mouse hepatic cytochrome P450 2B enzymes by glucocorticoid and phenobarbital. Arch Biochem Biophys. 1999 Sep 1;369(1):89-99. PMID: 10462443 [PubMed - indexed for MEDLINE] Items 1 - 20 of 43 Page of 3 Next Display Summary ▼ Show 20 Sort by Send to

Write to the Heip Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer









of Medicine NEW Ail Databases PubMed Nucleotide Structure OMEM PMC Journals Bar Search PubMed for Nemoto N AND RNA Clear G٥ Save Sea Limits Preview/Index History Clipboard Details Display Summary **★** Show 20 Sort by Send to About Entrez All: 43 Review: 0 **Text Version** Items 21 - 40 of 43 Page of 3 Next Previous Entrez PubMed Overview 1 21: Sakuma T, Ohtake M, Katsurayama Y, Jarukamjom K, Nemoto Related Articles, Links Help | FAQ Tutoria! Induction of CYP1A2 by phenobarbital in the livers of aryl hydrocarbon-New/Noteworthy responsive and -nonresponsive mice. E-Utilities Drug Metab Dispos. 1999 Mar; 27(3):379-84. PMID: 10064569 [PubMed - indexed for MEDLINE] PubMed Services Journals Database 122: Sakuma T, Hieda M, Igarashi T, Ohgiya S, Nagata R, Nemoto N. Related Adicles, Links MeSH Database Kamataki T. Single Citation Matcher **Batch Citation Matcher** Molecular cloning and functional analysis of cynomolgus monkey Clinical Queries LinkOut Biochem Pharmacol. 1998 Jul 1;56(1):131-9. My NCBI (Cubby) PMID: 9698097 [PubMed - indexed for MEDLINE] 23: Sakuma T, Igarashi T, Hieda M, Ohgiya S, Isogai M, Ninomiya Related Articles, Links Related Resources Order Documents S, Nagata R, Nemoto N, Kamataki T. **NLM Catalog** Marmoset CYP1A2: primary structure and constitutive expression in NLM Gateway TOXNET livers. Consumer Health Carcinogenesis. 1997 Oct;18(10):1985-91. Clinical Alerts PMID: 9364010 [PubMed - indexed for MEDLINE] ClinicalTrials.gov PubMed Central 24: Nemoto N, Miyamoto-Sato E, Husimi Y, Yanagawa H. Related Articles, Links In vitro virus: bonding of mRNA bearing puromycin at the 3'-terminal end to the C-terminal end of its encoded protein on the ribosome in vitro. FEBS Lett. 1997 Sep 8;414(2):405-8. PMID: 9315729 [PubMed - indexed for MEDLINE] 25: Sakurai J, Funae Y, Nemoto N. Related Articles, Links Maintenance and activation of Cyp2e-1 gene expression in mouse hepatocytes in primary culture. Biochim Biophys Acta. 1996 Aug 21;1313(1):35-40. PMID: 8781547 [PubMed - indexed for MEDLINE]

26: Nemoto N, Husimi Y.

27: Nemoto N, Sakurai J.

Related Articles, Links

Related Articles, Links

A model of the virus-type strategy in the early stage of encoded molecular evolution.

J Theor Biol. 1995 Sep 7;176(1):67-77. PMID: 7475108 [PubMed - indexed for MEDLINE]

Glucocorticoid and sex hormones as activating or modulating factors for

expression of Cyp2b-9 and Cyp2b-10 in the mouse liver and hepatocytes. Arch Biochem Biophys. 1995 May 10;319(1):286-92. PMID: 7771797 [PubMed - indexed for MEDLINE] 28: Nemoto N. Sakurai J. Funae Y. Related Articles, Links Maintenance of phenobarbital-inducible Cyp2b gene expression in C57BL/6 mouse hepatocytes in primary culture as spheroids. Arch Biochem Biophys. 1995 Jan 10;316(1):362-9. PMID: 7840637 [PubMed - indexed for MEDLINE] 29: Hayakawa S, Saito S, Nemoto N, Chishima F, Akiyama K, Related Articles, Links Shiraishi H, Hayakawa J, Karasaki-Suzuki M, Fujii KT, Ichijo M, et al. Expression of recombinase-activating genes (RAG-1 and 2) in human decidual mononuclear cells. J Immunol. 1994 Dec 1;153(11):4934-9. PMID: 7963556 [PubMed - indexed for MEDLINE] 30: Nemoto N, Sakurai J. Related Articles, Links Elevated expression of the Cyp1a2 gene in the presence of nicotinamide by adult mouse hepatocytes in primary culture. Arch Biochem Biophys. 1994 Jan;308(1):292-8. PMID: 75087 8 [PubMed - indexed for MEDLINE] 31: Nemoto N, Sakurai J. Related Articles, Links Activation of Cyplal and Cypla2 genes in adult mouse hepatocytes in primary culture. Jpn J Cancer Res. 1993 Mar;84(3):272-8. PMID: 8486528 [PubMed - indexed for MEDLINE] 32: Nemoto N, Sakurai J. Related Articles, Links Cell-density-dependent expression of Cypla2 gene in monolayer-cultured adult mouse hepatocytes. Jpn J Cancer Res. 1993 Mar;84(3):265-71. PMID: 8486527 [PubMed - indexed for MEDLINE] 33: Nemoto N. Sakurai J. Related Articles, Links Differences in regulation of gene expression between Cyp1a-1 and Cyp1a-2 in adult mouse hepatocytes in primary culture. Carcinogenesis. 1992 Dec;13(12):2249-54. PMID: 1335375 [PubMed - indexed for MEDLINE] 34: Takahashi K, Kiguchi T, Sawasaki Y, Karikusa F, Nemoto N, Related Articles, Links Matsucka T, Yamamoto M. Lung capillary endothelial cells produce and secrete urokinase-type plasminogen activator. Am J Respir Cell Mol Biol. 1992 Jul;7(1):90-4. PMID: 1378288 [PubMed - indexed for MEDLINE] 35: Nemoto N, Sakurai J. Related Articles, Links Increase of CYP1A1 mRNA and AHH activity by inhibitors of either protein or RNA synthesis in mouse hepatocytes in primary culture. Carcinogenesis. 1991 Nov;12(11):2115-21.

PMID: 1934297 [PubMed - indexed for MEDLINE]

□ 36:	Nemoto N, Sakurai J.		Related Articles, Links			
	Proline is required for transcriptional chydrocarbon-inducible P(1)450 gene in cultured hepatocytes. Jpn J Cancer Res. 1991 Aug;82(8):901-8. PMID: 1910027 [PubMed - indexed for MEDI	C57BL/6 mc				
□ 37:	Nemoto N, Sakurai J, Tazawa A, Ishikawa T.		Related Articles, Links			
	Acquisition of aryl hydrocarbon hydrox hydrocarbons in monolayer-cultured he mouse strains. Cancer Res. 1990 Jun 1;50(11):3226-30. PMID: 1692256 [PubMed - indexed for MEDI	epatocytes fro				
□ 38:	Nemoto N, Ishikawa T.		Related Articles, Links			
	Elevation of polycyclic aromatic hydrohydroxylase activity in rat hepatocytes poly(ADP-ribose) polymerase. Carcinogenesis. 1988 Oct;9(10):1823-7. PMID: 2458855 [PubMed - indexed for MEDI	in primary cu				
□ 39:	Nemoto N, Kodama K, Tazawa A, Matsumoto Ishikawa T.	J, Masahito P,	Related Articles, Links			
	Nucleotide sequence comparison of the goldfish ras gene between normal and a J Cancer Res Clin Oncol. 1987;113(1):56-60. PMID: 3029139 [PuM ed - indexed for MEDI	neoplastic tiss				
40:	Nemoto N, Takayama S.		Related Articles, Links			
	Rapid loss of 7-methylguanine from liver nucleic acids in mice during the initial stage of liver carcinogenesis induced by dimethylnitrosamine. Biochem Biophys Res Commun. 1974 May 7;58(1):242-9. No abstract available. PMID: 4831070 [PubMed - indexed for MEDLINE]					
Ite	ms 21 - 40 of 43	Previous Pag	e 2 of 3 Next			
isplay	Summary Show 20 💌	Sort by 👻	Send to			

Write to the Help Desk


NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer









		88 89 8		*** ***	of l	Medicine	NEM	[Sign In]	<u>[Regi</u>
All Databases	beMau	Nucleotide	Protein	Genome	Structure	OMIM	PMC	Journals	Boc
Search PubMed	~~~~	for Ne	emoto N AN	D RNA			Go C	lear Sav	e Sea
	Limits	> Preview	/Index i	-listory × (Olipboard 🔌	Details	%		
About Entrez	Display	Summary	<u>``</u>	Show 20	Sort b	y y [Send to	¥	
Text Version	All: 43	Review: () 🔭						
Entrez PubMed	I	tems 41 - 43	3 of 43			Previous	Page	3	of 3
Overview Help I FAQ	41:	Nemoto N. T	akayama S.				Relate	d Articles, I	Links
Tutorial New/Noteworthy E-Utilities		Formation of N7-methylguanine in nuclear DNA and cytoplasmic RNA in mice on continuous oral administration of dimethylnitrosamine-3H solution.							
PubMed Services Journals Database MeSH Database		Z Krebsforsci abstract avail PMID: 42719	able.		Clin Oncol. 19	973 Nov 1;	80(2):113	-25. No	

MeSH Database Single Citation Matcher **Batch Citation Matcher** Clinical Queries LinkOut-My NCBI (Cubby)

Related Resources Order Documents NLM Catalog **NLM Gateway** TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

12: Nemoto N. Takayama S.

Related Articles, Links

Formation of 7-methylguanine in liver RNA during continuous administration of dimethylnitrosoamine. Gann. 1973 Feb;64(1):97-9. No abstract available. PMID: 4718410 [PubMed - indexed for MEDLINE]

43: Muramatsu M, Azama Y, Nemoto N, Takavama S.

Related Articles, Links

Methylation of nuclear and cytoplasmic RNA of mouse liver with dimethylnitrosamine-3 H.

Cancer Res. 1972 Apr;32(4):702-9. No abstract available. PMID: 5014780 [PubMed - indexed for MEDLINE]

Items 41 - 43 of 43


Previous Page

of 3

Write to the Help Desk NCBI | NLM | NIH Department of Health & Human Services Privacy Statement | Freedom of Information Act | Disclaimer









of Medicine All Databases PubMed Nucleotide Protein Genome OMBM PMC Structure Journals Boc Search PubMed Clear for Miyamoto E AND RNA Go Save Sea Limits Preview/Index History Clipboard Details Display Summary Show 20 Sort by Send to About Entrez All: 18 Review: 2 **Text Version** Items 1 - 18 of 18 One page. 1: Yamada Y, Yamamoto H, Yonehara T, Kanasaki H, Nakanishi H. Related Articles, Links Entrez PubMed Miyamoto E, Miyazaki K.

Overview Help I FAQ Tutorial New/Noteworthy E-Utilities

PubMed Services Journals Database MeSH Database Single Citation Matcher Satch Citation Matcher Clinical Queries LinkOut My NCBI (Cubby)

Related Resources Order Documents **NLM Catalog NLM Gateway** TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

Differential activation of the luteinizing hormone beta-subunit promoter by activin and gonadotropin-releasing hormone: a role for the mitogenactivated protein kinase signaling pathway in LbetaT2 gonadotrophs. Biol Reprod. 2004 Jan;70(1):236-43. Epub 2003 Sep 17. PMID: 13679314 [PubMed - indexed for MEDLINE]

2: Yonchara T, Yamada Y, Kanasaki H, Yamamoto H, Fukunaga K, Related Articles, Links Miyazaki K, Miyamoto E.

Characterization of alphaT3-1 cells stably transfected with luteininzing hormone beta-subunit complementary deoxyribonucleic acid. Endocr J. 2003 Jun;50(3):341-54.

PMID: 12940464 [PubMed - indexed for MEDLINE]

3: Takeuchi Y, Miyamoto E, Fukunaga K.

Related Articles, Links

Analysis on the promoter region of exon IV brain-derived neurotrophic factor in NG108-15 cells.

J Neurochem. 2002 Oct;83(1):67-79.

PMID: 12358730 [PubMed - indexed for MEDLINE]

1 4: Kanasaki H, Yonehara T, Yamada Y, Takahashi K, Hata K, Related Articles, Links Fujiwaki R, Yamamoto H, Takeuchi Y, Fukunaga K, Miyamoto E Miyazaki K

Regulation of gonadotropin alpha subunit gene expression by dopamine D (2) receptor agonist in clonal mouse gonadotroph alphaT3-1 cells. Biol Reprod. 2002 Oct;67(4):1218-24.

PMID: 12297539 [PubMed - indexed for MEDLINE]

5: Takeuchi Y. Fukunaga K. Miyamoto E.

Related Articles, Links

Activation of nuclear Ca(2+)/calmodulin-dependent protein kinase II and brain-derived neurotrophic factor gene expression by stimulation of dopamine D2 receptor in transfected NG108-15 cells.

J Neurochem. 2002 Jul;82(2):316-28.

PMID: 12124432 [PubMed - indexed for MEDLINE]

6: Nomura T. Yamamoto H. Mimata H. Shitashige M. Shibasaki F. Related Articles, Links Miyamoto E, Nomura Y.

Enhancement by cyclosporin A of taxol-induced apoptosis of human urinary bladder cancer cells.

Urol Res. 2002 May;30(2):102-11.

PMID: 12086014 [PubMed - indexed for MEDLINE]


7: Kanasaki H, Yonehara T, Yamamoto H, Takeuchi Y, Fukunaga K, Related Articles, Links Takahashi K, Miyazaki K, Miyamoto E. Differential regulation of pituitary hormone secretion and gene expression by thyrotropin-releasing hormone. A role for mitogen-activated protein kinase signaling cascade in rat pituitary GH3 cells. Biol Reprod. 2002 Jul;67(1):107-13. PMID: 12080005 [PubMed - indexed for MEDLINE] 8: Yonehara T, Kanasaki H, Yamamoto H, Fukunaga K, Miyazaki K, Related Articles, Links Miyamoto E. Involvement of mitogen-activated protein kinase in cyclic adenosine 3',5'monophosphate-induced hormone gene expression in rat pituitary GH(3) cells. Endocrinology. 2001 Jul;142(7):2811-9. PMID: 11416000 [PubMed - indexed for MEDLINE] 9. Yokota S, Yamamoto M, Moriya T, Akiyama M, Fukunaga K, Related Articles, Links Miyamoto E, Shibata S. Involvement of calcium-calmodulin protein kinase but not mitogenactivated protein kinase in light-induced phase delays and Per gene expression in the suprachiasmatic nucleus of the hamster. J Neurochem. 2001 Apr;77(2):618-27. PMID: 11299324 [PubMed - indexed for MEDLINE] 10: Sakata Y, Masuyama T, Yamamoto K, Nishikawa N, Yamamoto Related Articles, Links H, Kondo H, Ono K, Otsu K, Kuzuya T, Miwa T, Takeda H. Miyamoto E. Hori M. Calcineurin inhibitor attenuates left ventricular hypertrophy, leading to prevention of heart failure in hypertensive rats. Circulation. 2000 Oct 31;102(18):2269-75. PMID: 11056104 [PubMed - indexed for MEDLINE] 11: Kawasaki E, Hattori N, Miyamoto E, Yamashita T, Inagaki C. Related Articles, Links mRNA expression of kidney-specific ClC-K1 chloride channel in singlecell reverse transcription-polymerase chain reaction analysis of outer hair cells of rat cochlea. Neurosci Lett. 2000 Aug 18;290(1):76-8. PMID: 10925178 [PubMed - indexed for MEDLINE] 12: Tabuchi H. Yamamoto H, Matsumoto K. Ebihara K, Takeuchi Y. Related Articles, Links Fukunaga K, Hiraoka H, Sasaki Y, Shichiri M, Miyamoto E Regulation of insulin secretion by overexpression of Ca2+/calmodulindependent protein kinase II in insulinoma MIN6 cells. Endocrinology. 2000 Jul; 141(7):2350-60. PMID: 10875234 [PubMed - indexed for MEDLINE] 13: Takeuchi Y, Yamamoto H, Fukunaga K, Miyakawa T, Miyamoto Related Articles, Links Identification of the isoforms of Ca(2+)/Calmodulin-dependent protein kinase Π in rat astrocytes and their subcellular localization. J Neurochem. 2000 Jun;74(6):2557-67. PMID: 10820218 [PubMed - indexed for MEDLINE] 14: Takeuchi Y, Yamamoto H, Miyakawa T, Miyamoto E. Related Articles, Links Increase of brain-derived neurotrophic factor gene expression in NG108-

15 cells by the nuclear isoforms of Ca2+/ calmodulin-dependent protein J Neurochem. 2000 May;74(5):1913-22. PMID: 10800934 [PubMed - indexed for MEDLINE] 15: Takeuchi Y, Yamamoto H, Matsumoto K, Kimura T, Katsuragi Related Articles, Links S, Miyakawa T, Miyamoto E. Nuclear localization of the delta subunit of Ca2+/calmodulin-dependent protein kinase II in rat cerebellar granule cells. J Neurochem. 1999 Feb;72(2):815-25. PMID: 9930758 [PubMed - indexed for MEDLINE] 16: Yamamoto H, Takeuchi Y, Miyamoto E. Related Articles, Links [Variable region of the Ca2+/calmodulin-dependent protein kinase II generated by alternative mRNA splicing: its role in the intracellular localization of different isoforms] Seikagaku. 1998 Nov;70(11):1349-54. Review. Japanese. No abstract available. PMID: 9889597 [PubMed - indexed for MEDLINE] 17: Iwase K, Iyama K, Akagi K, Yano S, Fukunaga K, Miyamoto E, Related Articles, Links Mori M. Takiguchi M. Precise distribution of neuronal nitric oxide synthase mRNA in the rat brain revealed by non-radioisotopic in situ hybridization. Brain Res Mol Brain Res. 1998 Jan; 53(1-2):1-12. PMID: 9473561 [PubMed - indexed for MEDLINE] 18: Mivamoto E. Related Articles, Links Cyclic nucleotide-dependent protein kinases--the enzymological aspects and roles in the biological system (author's transl)] Tanpakushitsu Kakusan Koso. 1973 May;18(5):321-32. Review. Japanese. No abstract available. PMID: 4354861 [PubMed - indexed for MEDLINE] Display Summary Show 20 Sort by Send to

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Privacy Statement | Freedom of Information Act | Disclaimer









Boc

Save Sea

One page.

All Databases Published Nucleotide Protein Genome Structure MIMO **PMC** Search PubMed for Husimi Y AND RNA Go Limits Preview/Index Clipboard Details History Display | Summary **▼** Show 20 **★** Sort by Send to About Entrez

Text Version

Entrez PubMed Overview Help | FAQ Tutorial New/Noteworthy E-Utilities

PubMed Services Journals Database MeSH Database Single Citation Matcher **Batch Citation Matcher** Clinical Queries LinkOut My NCBI (Cubby)

Related Resources Order Documents **NLM Catalog NLM Gateway** TOXNET Consumer Health Clinical Alerts ClinicalTrials.gov PubMed Central

1: Husimi Y, Tabuchi I.

Review: 2

All: 11

Items 1 - 11 of 11

Related Articles, Links

Journals

Clear

[In vitro virus in evolutionary molecular engineering] Tanpakushitsu Kakusan Koso. 2003 Aug;48(11 Suppl):1481-7. Review. Japanese. No abstract available.

PMID: 12931603 [PubMed - indexed for MEDLINE]

2: Kitamura K, Kinoshita Y, Narasaki S, Nemoto N, Husimi Y. Related Articles, Links Nishigaki K.

Construction of block-shuffled libraries of DNA for evolutionary protein engineering: Y-ligation-based block shuffling.

Protein Eng. 2002 Oct;15(10):843-53. PMID: 12468719 [PubMed - indexed for MEDLINE]

3: Tabuchi I, Soramoto S, Nemoto N, Husimi Y.

An in vitro DNA virus for in vitro protein evolution. FEBS Lett. 2001 Nov 23;508(3):309-12. PMID: 11728441 [PubMed - indexed for MEDLINE]

4: Aita T, Urata S, Husimi Y.

Related Articles, Links

Related Articles, Links

From amino acid landscape to protein landscape: analysis of genetic codes in terms of fitness landscape.

J Mol Evol. 2000 Apr;50(4):313-23.

PMID: 10795823 [PubMed - indexed for MEDLINE]

5: Nishigaki K, Taguchi K, Kinoshita Y, Aita T, Husimi Y.

Related Articles, Links

Y-ligation: an efficient method for ligating single-stranded DNAs and RNAs with T4 RNA ligase.

Mol Divers. 1998;4(3):187-90.

PMID: 10729904 [PubMed - indexed for MEDLINE]

6: Nemoto N, Miyamoto-Sato E, Husimi Y, Yanagawa H.

Related Articles, Links

In vitro virus: bonding of mRNA bearing puromycin at the 3'-terminal end to the C-terminal end of its encoded protein on the ribosome in vitro. FEBS Lett. 1997 Sep 8;414(2):405-8.

PMID: 9315729 [PubMed - indexed for MEDLINE]

7: Kinoshita Y, Nishigaki K, Husimi Y.

Related Articles, Links

Fluorescence, isotope- or biotin-labeling of the 5 '-end of single-stranded DNA/RNA using T4 RNA ligase.

Nucleic Acids Res. 1997 Sep 15;25(18):3747-8. PMID: 9278501 [PubMed - indexed for MEDLINE]

□ 8:	Nemoto N, Husimi Y.	Related Articles, Links
	A model of the virus-type strategy in the early stage of evolution. J Theor Biol. 1995 Sep 7;176(1):67-77. PMID: 7475108 [PubMed - indexed for MEDLINE]	encoded molecular
□9:	Husimi Y.	Related Articles, Links
	[Adaptive design of supramolecule by evolutionary mo Tanpakushitsu Kakusan Koso. 1993 May;38(7):1338-44. Review. available. PMID: 7687787 [PubMed - indexed for MEDLINE]	olecular engineering] Japanese. No abstract
□ 10	: Nishigaki K. Husimi Y. Tsubota M.	Related Articles, Links
	Detection of differences in higher order structure betwhomologous single-stranded DNAs by low-temperature gradient gel electrophoresis. J Biochem (Tokyo). 1986 Mar;99(3):663-71. PMID: 3711041 [PubMed - indexed for MEDLINE]	
□ 11	: Gotoh O, Husimi Y, Yabuki S, Wada A.	Related Articles, Links
	Hyperfine structure in melting profile of bacteriophag Biopolymers. 1976 Apr;15(4):655-70. No abstract available. PMID: 1252601 [PubMed - indexed for MEDLINE]	e lambda DNA.
Display	Summary Show 20 Sort by S	end to 💌

Write to the Help Desk

NCBI | NLM | NiH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer